




Product Features:





Computer

Swivel PLC computer and PLC with optional touch screen.




User Interface

Virtually indestructible Keyboard

Machine Frame

Robust 3" x 3" extruded aluminum frame.







Power

Four amplifier drive with LED readout

Control Panel

Prewired electronic control panel with single power entry and electrical lug connections.





Cutting Surface

Long life spoil board and superior material hold-down design feature.

Drive Motors

4 Motor, 3 Axis, CNC driven, heavy duty, gear driven, servo motors with position feedback. *FAST* performance!



Ball Bearings

Industrial linear bearing and precision bearing rail.

SAFETY!

Emergency switches located on the swivel control center.




Dust Collection Head with Sweeper Brush


Keep your work clean with a uniquely designed collection head that minimizes dust and debris from both the work environment and the work piece!



Dust Collector

We include a properly sized dust collector to provide a clean working environment.





KD3Z™

Fitting Library


Fitting Software


We give you a complete library of fittings and ductwork that allow you to make more...ductwork and money!

Software can be customized for special fitting needs and even run AutoCad file drawn fittings.


Nesting Software

We include a powerful nesting software that give you higher yield and more from the board you are paying for.





Ease of Use
 Entering fittings using the KD3z reduces fabrication time from hours...to literally minutes with repeatable accuracy!



Speed!

At speeds of 1600 inches per minute...the KD3z will cut more fittings and ductwork per day than you ever thought possible. Accurate, Repeatable, Speed!



GoMech, Ltd.
P.O. Box 371
Bowling Green, Ohio 43402
Phone (419) 419-4446
Fax (419) 832-0126
www.gomech.com